

as marked by a predominance of the deranged  
 Piltam, and of  
 Symptoms peculiar to the morbid diathesis. In-  
 the disease  
 known as Atya\*nand the patient knows no  
 satisfaction in  
 respect of sexual pleasures (nymphomania). In  
 the disease  
 known as Karnini, polypi grow in the vaginal  
 canal through  
 the agency of the deranged Kaphah and  
 blood. In the  
 disease known as Acharana', the woman  
 spends- herself  
 before her husband during an act of sexual  
 congress, while  
 in that called Atichard the woman is never  
 satisfied, hence in<sup>1</sup>  
 both these diseases the seeds of man- ami  
 woman never  
 meet. In the disease known as Shleshmala-  
 yoni, the vagi-  
 nal canal is felt cold and slimy and is marked by  
 an<sup>1</sup> itching  
 sensation. These four forms of Yoni'-roga  
 should be re-  
 garded as marked by the predominance of the  
 deranged  
 Kaphah. A woman in whom the catamenial flow  
 and the  
 mammae do not appear, and whose vaginal canal  
 is perceived  
 rough during acts of sexual congress is called  
 a ShandLr  
 An immature girl by holding sexual intercourse  
 with a fully  
 developed and exceedingly large-limbed woman  
 suffers from  
 evils which are called Andalis. A vagina with an  
 extremely  
 dilated vulva is called Maba-yoni, while that with  
 an ex"\*  
 tremely constricted (external) orifice is called  
 Suchi-Vaktra%  
 These four/last-named types of Yoni-roga should  
 be regarded  
 as due to the concerted action of the deranged  
 Vayu, Pittamr.,  
 and Kaphah, and hence incurable.

The deranged Vayu, Pittara and Kaphah at

the taginart  
 region, aggravated throagft such exciting  
 factors as day-  
 sleep, excessive irascibility, over-fatiguing  
 physical exercise,  
 sexual excesses, bites, and scratches, give  
 rise to ex-  
 crescences in that locality which assume a  
 colour, blended  
 of those of pus [and blood, and resemble  
 Lakucha fruit in  
 shape. These vaginal growths or excrescences  
 are called  
 Kandas, In the V<ltaja type of this disease the  
 growths  
 become rough, discoloured and cracked. In  
 the Pittaja  
 t}pe they are maike.d by redness and a  
 burning sensation.